

MIKASA
CHEVRON
COLLECTION

GROW
- UP TO -
WOOD

 **Mikasa**
REAL WOOD FLOORS



Greenlam Industries has been a hallmark of exceptional artistry and innovation. It is India's No.1, Asia's largest, and among the top 3 brands in the world, offering surfacing solutions spread across laminates, compacts, veneers, engineered wooden floors, and doors. With a presence in more than 100 countries, Greenlam carried its innovation and artistry forward with Mikasa Real Wood Floors.

Mikasa's roots lie in the true form of nature. A grandeur of wood offering the largest collection of inspiring designs with endless ways to adorn your spaces. Made for the first time in India, these floors with their sublime precision, enhanced using state-of-the-art technology, display the real art of flooring.

The wide-ranging collection brings together the most exotic species from around the world to give a complete facelift to your space.

MIKASA

CHEVRON

Z
O
C
L
E
C
T
I
O
N

A modern take on classic patterns, Mikasa Chevron Collection is inspired by the richness and delicacy of Roman architecture. An exclusive design with bevelled edges mastered to perfection by combining the natural colour variations of nature and the brushed surface. Chevron is an inverted V-pattern with each side meeting at a point without interruption, resulting in a beautiful zig-zag design. The Mikasa Chevron Collection is unlike any other, with a variety that accentuates the lushness of every space.



NOCE GRANDE





OAK SEA MIST + OAK WINTER





NOCE IMPERIAL



CHEVRON


P A T T E R N S

The essence of Chevron lies in its patterns. And we, at Mikasa, offer those patterns that elevate the aesthetics of every space while reflecting beauty at every step.

D I A G O N A L P A T T E R N



L I N E A R P A T T E R N





OAK RADIANT





OAK STOCKHOLM






OAK SEA MIST




13



Oak Stockholm



Oak London




Oak Berlin

05


15



Oak Sea Mist



Oak Smokehouse




Oak Fume

CHEVRON

11




Oak Radiant




Oak Noir

COLLECTION

03



Noce Grande




Noce Rosso



Oak Moonlight

05



Oak Winter



Oak Summer

07



Noce Imperial

QUICK REFERENCE GUIDE



Stained



Brushed



Matt Lacquer



Micro-Bevelled Edge



Smoked



Satin Lacquer



Bevelled Edge



Square Edge



Page Number

The product colours and textures shown in this brochure may vary from the actual product. We recommend you please refer to the actual product for exact grain patterns and shades.

LOCKING TECHNOLOGY

PlankL^{CC}™ is a progressive innovation that locks two planks together in a bond that won't open easily. This revolutionary technology permits a simple glue-less installation that gives a consistent look to your floors and withstands the effects of seasonal changes and heavy foot traffic. While PlankL^{CC}™ Technology is used for longer ends, T&G on the other hand is used for shorter ends (see image). Together, the PlankL^{CC}™ and T&G Technology give your floors a bond that lasts forever.



DID YOU KNOW THAT CUTTING TREES CAN HELP SAVE THE ENVIRONMENT?

We're all aware that trees are essential for the sustenance of our planet, because they replenish the oxygen in our atmosphere. However, as they begin to wilt and decay, they release CO₂ into the environment. This greenhouse gas is toxic for our environment. And, one of the key causes of global warming. Surprising, isn't it?

We, at Mikasa, take care of trees and harvest right before they are about to decay and release CO₂ into the environment. We understand our responsibility towards the planet and play our part in monitoring CO₂ emissions across the globe.

Building towards a sustainable future, we ensure our wood is sourced ethically from around the world. Designed with a disposable system for recyclable waste, the installation process, the water-based lacquers, and stains are all eco-friendly. Also, our protective lacquer and oil meet strict international emission norms. Clearly, the upkeep of our environment is always on the top of our minds while manufacturing these beautiful wooden floors.

So, rest assured that the wood adorning your space is as ethical as it is pristine.



CHEVRON

TECHNICAL INFORMATION



TECHNICAL INFORMATION

Thickness (mm)	15	Sq.Mtrs/Pack	0.486m²
Veneer Thickness (mm)	Up to 3.0	Weight/Pack (Kg)	4.36 kg
Plank Dimensions (mm)	Width: 90 Length: 450	Joint	PlankL ^{CC} ™ and T&G Technology
Configuration	1 strip	Core Material	Pine
Wood Species	Oak and Walnut	Finish	Non-Brushed & Satin/Brushed & Matt
No. of Planks/Pack	12 (6 planks of left and 6 planks of right)	Warranty	Up to 30 years in a residential environment. Check for warranty on website for the commercial application.

PRODUCT CHARACTERISTICS

Construction	Boards are constructed in 3 layers in order to minimise expansion and contraction within the floorboard. The direction of the fibers within each layer is oriented at right angles to the adjacent layer.
Design	Mikasa uses PlankL ^{CC} ™ and T&G Technology. PlankL ^{CC} ™ is used for longer ends and T&G is used for shorter ends. Surface layer consists of sliced strips of hardwood and a backing of Pine/Spruce Veneer.
Top Layer	The top layer is made of select hardwood and is up to 3.0mm in thickness. This allows resanding and refinishing at least twice. Detailed information about maintenance is included in our Maintenance & Repair Guide. Download it from our website www.mikasafloors.com
Surface Finish	The surface is pre-finished with several layers of UV hardened acrylic lacquer, free from Formaldehyde and Solvents.
Moisture Content	Average moisture content at delivery is approximately 7-9%.
Insects	The boards are delivered free of insects, woodworms, etc. This is secured by the process temperatures.
Formaldehyde Emission	The boards comply more than adequately with the stringent EU E1 norms for Formaldehyde Emissions.
Fire Classifications	Wooden floors fulfill the requirements for class G, the highest fire classification for floors as per Swedish Building Code, BBR 94.
Reduction of sound weighted index ‘footfall’ to the room below. NF EN ISO 140-8/ Acc.to NF EN ISO 717-2, ΔLw in dB with 3mm foam	dB17
Installation	Glue down/Nail down/Staple.
Chemicals and Stains	Resists most household stains for up to 24 hours.
Colour Change	Wood is a natural product and changes colour with time when exposed to light.
Subfloor Requirements	The subfloor must be dry, clean, level out, and solid. The requirements in HusAMA98, Table 43.DC/-1 and MDB.3 apply. Also note our Subfloor Requirements. You can download more details on Subfloor Requirements and Underfloor Heating from our website www.mikasafloors.com



www.mikasafloors.com



Greenlam Industries Limited, 2nd Floor, West Wing, Worldmark -1, Aerocity, IGI Airport Hospitality District, New Delhi - 110 037.

For a real experience with real wood, **SMS <MIKASA> to 53030** or call on **Toll Free No.: 1800-833-0004**

info@mikasafloors.com | [f](#) | [t](#) | [@](#)



We acknowledge that wood is precious and thereby all Mikasa floors use only ethically sourced wood without disturbing the natural balance of our beautiful ecosystem.

The best way to recycle this brochure is to give it to someone who needs it.

